

# Eaton PDG3X3TA402

Catalog Number: PDG3X3TA402

Eaton Power Defense molded case circuit breaker accessory terminal, Terminal, 400 A, Three-pole, AWG 500-750, PD3 Global, Power Defense, Frame 3, Power Defense, Tunnel terminal, Aluminum, Frame 3

Photo is representative

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Power Defense terminal	PDG3X3TA402
<b>UPC</b>	<b>Product Length/Depth</b>
786689261696	117.475 mm
<b>Product Height</b>	<b>Product Width</b>
98.425 mm	155.575 mm
<b>Product Weight</b>	<b>Compliances</b>
476.272 g	RoHS Compliant
<b>Certifications</b>	
CCC Marked	
CSA	
UL 489	
IEC 60947-2	



## Delivery program

### Amperage Rating

400 A

### Frame

3

### Number of poles

Three-pole

## Other

### Wire material

Aluminum

## Technical information

### Wire size

AWG 500-750

## General information

### Circuit breaker type

PD3 Global

### Frame size

Frame 3

### Series

Power Defense

## Technical data - Mechanical - Terminals

### Terminals

Tunnel terminal

## Resources

### Catalogs

[Eaton's Volume 4—Circuit Protection](#)

### Multimedia

[Power Defense Frame 6 Trip Unit How-To Video](#)

[Power Defense Breakers](#)

[Power Defense Frame 5 Trip Unit How-To Video](#)

[Power Defense Frame 3 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense molded case circuit breakers](#)

[Power Defense Frame 2 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Eaton Power Defense for superior arc flash safety](#)

### Specifications and datasheets

[Eaton Specification Sheet - PDG3X3TA402](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)