

# Eaton PDD23F0060TFFL

Catalog Number: PDD23F0060TFFL

Eaton Power Defense molded case circuit breaker, UL/CSA 240V Max, Frame 2, Three Pole, 60A, 35kA/240V, T-M (Fxd-Fxd) TU, Standard Terminals Load Only (PDG2X3T100)

Photo is representative



## General specifications

### Product Name

Eaton Power Defense molded case circuit breaker

### Catalog Number

PDD23F0060TFFL

### UPC

786687042426

### Product Length/Depth

88.9 mm

### Product Height

152.4 mm

### Product Width

104.6 mm

### Product Weight

1.82 kg

### Warranty

Eaton Selling Policy 25-000, one (1) year RoHS Compliant from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

### Compliances

### Certifications

CSA  
UL 489

## Delivery program

### Amperage Rating

60 A

### Circuit breaker frame type

Complete breaker

### Frame

2

### Number of poles

Three-pole

## General information

### Circuit breaker type

PD2 UL/CSA Only

### Class

Class A

### Trip Type

T-M (Fxd-Fxd) TU

## Technical data - Electrical

### Voltage rating

240 V AC

### Voltage rating - max

240 V

## Technical data - Mechanical - Terminals

### Terminals

Standard Terminals Load Only

## Technical information

### Interrupt rating

35 kAIC at 240 Vac

### Interrupt rating range

10 kAIC Icu @250 Vdc

10 kAIC Icu @125 Vdc

35 kAIC @240V (UL)

## Resources

### 3D CAD drawing package

[Eaton Power Defense PDD23F0060TFFL 3D drawing](#)

### Application notes

[Consulting application guide - molded case circuit breakers](#)

### Brochures

[Power Defense technical selling booklet](#)

[Power Defense brochure](#)

[Power Defense molded case circuit breaker selection poster](#)

### Catalogs

[Molded case circuit breakers catalog](#)

### Certification reports

[Power Defense Declaration concerning California's Proposition 65](#)

## Installation instructions

Power Defense Frame 2 PDG2 and PDC(E)9 breaker instructions - IL012106EN

## Multimedia

Power Defense Frame 3 Variable Depth Rotary Handle Mechanism Installation How-To Video

Power Defense Breakers

Power Defense Frame 6 Trip Unit How-To Video

Power Defense molded case circuit breakers

Power Defense Frame 5 Trip Unit How-To Video

Power Defense Frame 2 Variable Depth Rotary Handle Mechanism Installation How-To Video

Eaton Power Defense for superior arc flash safety

## Specifications and datasheets

Eaton Specification Sheet - PDD23F0060TFFL

## Time/current curves

Power Defense time current curve Frame 2 - PD2

## Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services

## White papers

Molded case and low-voltage breaker health

Safer by design: arc energy reduction techniques



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia