

Eaton EDSX2129 SA

Catalog Number: EDSX2129 SA

Eaton Crouse-Hinds series EDSX snap switch control station, 20A, With switch, With one 3/4" hub, Copper-free aluminum, 1 device, Single-gang, Single-pole, Gasketed, Dead end, 3/4", 120-277 Vac

General specifications

Product Name	Catalog Number
Eaton's Crouse-Hinds series EDSX snap switch control station	EDSX2129 SA
	UPC
	662277123693
Product Length/Depth	Product Height
7.03 in	3.06 in
Product Width	Product Weight
3.5 in	4.7 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class III

Class II, Division 1

Class I, Zone 2

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Enclosure type

With switch

Trade size

3/4"

Number Of Poles

Single-pole

Switch function

Single-pole

Number of gangs

Single-gang

Style

Dead end

Voltage rating

120-277 Vac

Amperage Rating

20A

Hub style

With one 3/4" hub

Number of devices

1

Primary voltage range

120-277V

Material

Copper-free aluminum

Special features

Gasketed

Resources

Brochures

[EDS/EDSX and DSD/DSDX hazardous area control stations and switches - brochure](#)

Catalogs

[EDS and EDSX Fully Assembled Snap Switches catalog page](#)

Certification reports

EDS and EFD Explosionproof Snap Switches Canadian certification -
industrial control panels and assemblies

EDS and EFD Explosionproof Snap Switches Canadian certification - snap
switches

EDS and EFD Explosionproof Snap Switches UL certification - industrial
control panels and assemblies

EDS and EFD Explosionproof Snap Switches UL certification - snap
switches

EDSX and DSDX Technical Data Sheet

Specifications and datasheets

Eaton Specification Sheet - EDSX2129 SA



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia