



**POWER  
SYSTEMS, INC.**

*In the world of power transmission and distribution, look to Hubbell.*


**Interactive  
eCatalog** ▶

[Catalog Home](#)

**Product Datasheet**

**CHANCE**

**C2000028 -- Expanding/Cross-Plate Anchor Rod**



Expanding/Cross-Plate Anchor Rod 1.25" (31.7 mm) Diameter Rod, 8' (2438 mm) long with Tripleye®

**Product Specifications**

Anchor Style	Anchor Rod
--------------	------------

<b>Component</b>	Expanding, Cross-Plate Anchor Rod
<b>Eye Nut Style</b>	Tripleye®
<b>Rod Diameter</b>	1.25" (31.7 mm)
<b>Length</b>	8' (2438 mm)
<b>Rod Tensile Strength</b>	58,000 lbs (258.0 kN)
<b>Coating</b>	Galvanized
<b>Dimension B</b>	2.75" (69.8 mm)
<b>Dimension C</b>	1.68" (42.7 mm)
<b>Dimension D</b>	1.25" (31.7 mm)
<b>Dimension E</b>	1.68" (42.7 mm)
<b>Dimension F</b>	1.625" (41.3 mm)
<b>Dimension R</b>	0.25" (6.3 mm)
<b>Dimension R1</b>	0.22" (5.5 mm)
<b>Material Type</b>	Non-Standard
<b>UPC Code</b>	09635901234
<b>Standard Package</b>	1
<b>Standard Package Unit</b>	EA
<b>Min Order Qty</b>	1
<b>Weight / Ea.</b>	34.3 lbs
<b>Webpage</b>	Click <a href="#">HERE</a> to view the web page.
<b>Drawing</b>	Click <a href="#">HERE</a> to view drawing.

### Notes

Caution: All components of the Chance anchoring system are performance mated. Use of other anchoring products or equipment will not necessarily produce the same results.

### Compressed Product Number

C2000028

### Strength Note

Ultimate strength ratings apply to properly installed anchors only. Failure to install within 5 ° of alignment with the guy load may significantly lower strength.

[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.