Eaton UHS18080K1C1D1A

Catalog Number: UHS18080K1C1D1A

Eaton Cooper Power series arrester, Polymer, 18 kV, No line term wire, Flipper fuse kit, Iso, 12" ground strap, Sil BRZ nut, SS lock washer, Insulated hanger, Transformer brkt w/hardware, HD, VariSTAR

General specifications

Product NameCEaton Cooper Power series arresterUUPCP1940060645837Product HeightP12.25 in3Product WeightC5.522 lbNCertificationsIEEE C62.11

Catalog Number UHS18080K1C1D1A Product Length/Depth 7.5 in Product Width

3.5 in

Compliances Not Applicable

Powering Business Worldwide

Product specifications

Material type

Polymer housing

Special features

Heavy-duty

Ground terminal options

12" copper ground strap, siliconee bronze nut and lock washer

Standard IEEE Standard C62.11-2005

Discharge voltage - max 49.1; 52.3; 54.7; 59.6; 65.9; 74.2 kV (@1.5; 3; 5; 10; 20; 40 kA)

Line stud and lead options

No line terminal wire

Steep Current Residual Voltage (kV Crest)

64.8 kV

Duty cycle voltage rating

18 kV rms

Nominal Discharge Current

10 kA

Mounting Transformer mounted

Mounting bracket options

Transformer mtg bracket (DM26S4) and (2) mtg hardware

Type UltraSIL polymer-housed VariSTAR arrester

Frequency rating

50-60 Hz

Isolator options

Black isolator

Packaging options Individual carton (assembled terminal hardware)

Maximum continuous operating voltage

15.3 kV rms

Equivalent front-of-wave

66 kV

Resources

Brochures

Ultrasil Polymer Housed Varistar IEEE Surge Arrester Catalog

Specifications and datasheets Eaton Specification Sheet - UHS18080K1C1D1A

Creep Distance

21.7 in/551 mm

Voltage rating

18 kV

Application

Distribution

Line terminal accessories

Flipper fuse kit

Base/bracket configuration options

Insulated hanger

Hanger options

Insulated hanger

Nameplate options

Standard per IEEE C62.11



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia