

SAFETY DATA SHEET

1. Identification

| Product identifier | Heavy Duty Degreaser II - 15 oz | |
|---------------------------------|---|--|
| Other means of identification | | |
| Product Code | No. 03120 (Item# 1003398) | |
| Recommended use | General purpose degreaser | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/ | Distributor information | |
| Manufactured or sold by: | | |
| Company name | CRC Industries, Inc. | |
| Address | 885 Louis Dr. | |
| | Warminster, PA 18974 US | |
| Telephone | | |
| General Information | 215-674-4300 | |
| Technical Assistance | 800-521-3168 | |
| Customer Service | 800-272-4620 | |
| 24-Hour Emergency | 800-424-9300 (US) | |
| (CHEMTREC) | www.orginductrics.com | |
| Website | www.crcindustries.com | |
| 2. Hazard(s) identification | | |
| Physical hazards | Flammable aerosols | Category 1 |
| | Gases under pressure | Compressed gas |
| Health hazards | Serious eye damage/eye irritation | Category 2A |
| | Aspiration hazard | Category 1 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| Label elements | | |
| | $\land \land \land \land \land$ | |
| | | |
| | | |
| Signal word | Danger | |
| Hazard statement | Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes serious eye irritation. | |
| Precautionary statement | | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not apply while equipment is energized. Extinguish all flames, pilot lights, and heaters. Vapors will accumulate readily and may ignite. Use only with adequate ventilation; maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Wear eye protection/face protection. | |
| Response | If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. | |
| Storage | Store locked up. Protect from sunlight. Do not Exposure to high temperature may cause can | expose to temperatures exceeding 50°C/122°F. to burst. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. | |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|---------|
| distillates (petroleum), hydrotreated light | | 64742-47-8 | 50 - 60 |
| dipropylene glycol methyl ether acetate | | 88917-22-0 | 5 - 10 |
| carbon dioxide | | 124-38-9 | 3 - 5 |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures | · · · · · · · · · · · · · · · · · · · |
|--|---|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Most important symptoms/effects, acute and delayed | Aspiration may cause pulmonary edema and pneumonitis. Headache. Nausea, vomiting. Diarrhea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| Suitable extinguishing media | Water fog. Alcohol resistant foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). | |
|--|---|--|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | |
| Specific hazards arising from the chemical | Contents under pressure. Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. | |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. | |
| Fire-fighting equipment/instructions | In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes. | |
| General fire hazards | Extremely flammable aerosol. Contents under pressure. Pressurized container may rupture when exposed to heat or flame. Will burn if involved in a fire. | |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|---|
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

| Precautions for safe handling | Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. For product usage instructions, see the product label. |
|---|---|
| Conditions for safe storage, including any incompatibilities | Level 3 Aerosol. |
| | Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in tightly closed container. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value |
|--|--|------------------------|
| carbon dioxide (CAS 124-38-9) | PEL | 9000 mg/m3 |
| | | 5000 ppm |
| US. ACGIH Threshold Limit | t Values | |
| Components | Туре | Value |
| carbon dioxide (CAS 124-38-9) | STEL | 30000 ppm |
| | TWA | 5000 ppm |
| US. NIOSH: Pocket Guide t | o Chemical Hazards | |
| Components | Туре | Value |
| carbon dioxide (CAS 124-38-9) | STEL | 54000 mg/m3 |
| | | 30000 ppm |
| | TWA | 9000 mg/m3 |
| | | 5000 ppm |
| distillates (petroleum), hydrotreated light (CAS 64742-47-8) | TWA | 100 mg/m3 |
| logical limit values | No biological exposure limits noted | for the ingredient(s). |
| propriate engineering trols | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product. | |
| ividual protection measures | , such as personal protective equip | |
| Eye/face protection | Wear safety glasses with side shields (or goggles). | |
| Skin protection Hand protection | Wear protective gloves such as: Nitrile. Neoprene. | |
| Other | Wear appropriate chemical resistant clothing. | |
| Respiratory protection | If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels. | |

| Thermal hazards |
|-----------------|
|-----------------|

Wear appropriate thermal protective clothing, when necessary.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

| Appearance | |
|--|------------------------------|
| Physical state | Liquid. |
| Form | Aerosol. |
| Color | Water-white. |
| Odor | Slight. Hydrocarbon-like. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | -56.2 °F (-49 °C) estimated |
| Initial boiling point and boiling range | 408.2 °F (209 °C) estimated |
| Flash point | 185.0 °F (85.0 °C) Setaflash |
| Evaporation rate | Slow. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | 0.5 % estimated |
| Flammability limit - upper (%) | 12.6 % estimated |
| Vapor pressure | 2538.6 hPa estimated |
| Vapor density | > 1 (air = 1) |
| Relative density | 0.87 estimated |
| Solubility(ies) | |
| Solubility (water) | Slightly soluble. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | 428 °F (220 °C) estimated |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Percent volatile | 57.9 % estimated |
| 40 Stability and reactivity | - |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. | |
|---------------------------------------|---|--|
| Chemical stability | Material is stable under normal conditions. | |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. | |
| Conditions to avoid | Heat. Avoid temperatures exceeding the flash point. Contact with incompatible materials. | |
| Incompatible materials | Strong oxidizing agents. | |
| Hazardous decomposition products | Carbon oxides. | |

11. Toxicological information

| Information on likely routes of exposure | | |
|--|--|--|
| Inhalation | Prolonged inhalation may be harmful. | |
| Skin contact | Based on available data, the classification criteria are not met. | |
| Eye contact | Causes serious eye irritation. | |
| Ingestion | Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. | |

Aspiration may cause pulmonary edema and pneumonitis. Headache. Nausea, vomiting. Diarrhea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects


Acute toxicity May be fatal if swallowed and enters airways.

| Acute toxicity | May be fatal if swallowed and er | ners an ways. | |
|--|--|--|--|
| Components | Species | Test Results | |
| distillates (petroleum), hydrotreate | ed light (CAS 64742-47-8) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | > 2000 mg/kg | |
| Inhalation | | | |
| LC50 | Rat | > 5 mg/l, 4 hours | |
| Oral | | | |
| LD50 | Rat | > 5000 mg/kg | |
| Skin corrosion/irritation | Prolonged skin contact may cau | se temporary irritation. | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | | |
| Respiratory or skin sensitization | n | | |
| Respiratory sensitization | Not a respiratory sensitizer. | | |
| Skin sensitization | This product is not expected to c | ause skin sensitization. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | |
| Carcinogenicity | Not classifiable as to carcinogen | icity to humans. | |
| IARC Monographs. Overall | Evaluation of Carcinogenicity | | |
| Not listed. OSHA Specifically Regulate | ed Substances (29 CFR 1910.100 | 1-1053) | |
| Not listed. | ogram (NTP) Report on Carcinog | | |
| Not listed. | | | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | | |
| Specific target organ toxicity - single exposure | Not classified. | | |
| Specific target organ toxicity - repeated exposure | Not classified. | | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | | |
| Chronic effects | Prolonged inhalation may be ha | mful. | |
| 12. Ecological informatio | n | | |
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. | | |
| Persistence and degradability | | adability of any ingredients in the mixture. | |
| Bioaccumulative potential | | | |
| Mobility in soil | No data available. | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | |
| 13. Disposal consideratio | ons | | |
| Disposal instructions | If discarded, this product is considered a RCRA ignitable waste, D001. Empty container can be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Dispose in accordance with all applicable regulations. | | |
| Hazardous waste code | D001: Waste Flammable materia | al with a flash point <140 F | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. | | |

14. Transport information

| DOT | |
|------------------------------|---|
| UN number | UN1950 |
| UN proper shipping name | Aerosols, flammable, Limited Quantity |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| Packing group | Not applicable. |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions | N82 |
| Packaging exceptions | 306 |
| Packaging non bulk | 304 |
| Packaging bulk | None |
| ΙΑΤΑ | |
| UN number | UN1950 |
| UN proper shipping name | Aerosols, flammable, Limited Quantity |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Packing group | Not applicable. |
| ERG Code | 10L |
| · · | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo | Allowed with restrictions. |
| aircraft | |
| Cargo aircraft only | Allowed with restrictions. |
| IMDG | |
| UN number | UN1950 |
| UN proper shipping name | AEROSOLS, Limited Quantity |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Packing group | Not applicable. |
| Environmental hazards | |
| Marine pollutant | No. |
| EmS | F-D, S-U |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

DOT; IMDG



15. Regulatory information

| 15. Regulatory information | on line line line line line line line lin |
|---|---|
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. |
| Not regulated. | port Notification (40 CFR 707, Subpt. D) |
| SARA 304 Emergency Not regulated. | release notification |
| 0 | julated Substances (29 CFR 1910.1001-1053) |
| | ubstance List (40 CFR 302.4) |
| Not listed. | |
| CERCLA Hazardous S | ubstances: Reportable quantity |
| Not listed. | |
| | ng in the loss of any ingredient at or above its RQ require immediate notification to the National 124-8802) and to your Local Emergency Planning Committee. |
| Other federal regulations | |
| Clean Air Act (CAA) Sectio | n 112 Hazardous Air Pollutants (HAPs) List |
| Not regulated. | |
| | n 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. | |
| Safe Drinking Water Act (SDWA) | Not regulated. |
| Food and Drug Administration (FDA) | Not regulated. |
| - | eauthorization Act of 1986 (SARA) |
| Classified hazard categories | Flammable (gases, aerosols, liquids, or solids) Gas under pressure Serious eye damage or eye irritation |
| | Aspiration hazard |
| SARA 302 Extremely hazar | dous substance |
| Not listed. | |
| SARA 311/312 Hazardous chemical | Yes |
| SARA 313 (TRI reporting) Not regulated. | |
| US state regulations | |
| US. New Jersey Worker an | d Community Right-to-Know Act |
| carbon dioxide (CAS 124 | 4-38-9) |
| US. Massachusetts RTK - S | Substance List |
| carbon dioxide (CAS 124 | |
| - | and Community Right-to-Know Law |
| carbon dioxide (CAS 124 distillates (petroleum) bi | 4-38-9) ydrotreated light (CAS 64742-47-8) |
| US. Rhode Island RTK | |
| carbon dioxide (CAS 124 | 4-38-9) |
| distillates (petroleum), h | ydrotreated light (CAS 64742-47-8) |
| California Proposition 65 | |
| is not known to contain a | Water and Toxic Enforcement Act of 1986 (Proposition 65): This material any chemicals currently listed as carcinogens or reproductive toxins. For www.P65Warnings.ca.gov. |
| US. California. Candida subd. (a)) | ate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, |
| distillates (petroleur | n), hydrotreated light (CAS 64742-47-8) |
| | |

| Volatile organic compounds (V0 EPA | DC) regulations | |
|--|---|------------------------|
| VOC content (40 CFR 51.100(s)) | 96 % | |
| Consumer products (40 CFR 59, Subpt. C) | Not regulated | |
| State | | |
| Consumer products | This product is regulated as a General Purpose Degreaser (aerosol). This product is compliant for use in all 50 states. | |
| VOC content (CA) | 0 % | |
| VOC content (OTC) | 0 % | |
| International Inventories | | |
| Country(s) or region | Inventory name | On inventory (yes/no)* |
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | Yes |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| | an an the set of the feature of the state of the state of the set of the set of the set of the set of the state | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date Prepared by Version # Further information | 02-16-2021 Allison Yoon 01 CRC # 490C/1002479 |
|---|--|
| Disclaimer | The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |